

Name Area Series

Product ID AREA **Classification** 09 30 00.00 Finishes: Tiling

Website [www.emser.com/index.php?name=AREA\(TM\)&id0=ceramic_porcelain&id1=collectionDetailsIntro&index=97&scrollMenuceramic=0](http://www.emser.com/index.php?name=AREA(TM)&id0=ceramic_porcelain&id1=collectionDetailsIntro&index=97&scrollMenuceramic=0)

Manufacturer Emser Tile LLC **Contact Name** Paul Makowski

Address 8431 Santa Monica Blvd **Title** Commercial Manager
 Los Angeles, California 90069 **Phone** 323-650-2000 ext227
 United States **Email** paulmakowski@emser.com



Description Area™ is a glazed wall tile series with minimalist design and a contemporary color palette. This up-to-date series features six colors in 4 ¼ X 10 size with coordinating trim, in gloss finish.

Tile Type- Porcelain

- Series- Area
- Finish- Glazed
- Surface- Smooth non-reflective
- Color- All Colors- White, Gray, Fawn, Taupe, Cocoa, Black- V1 Shade Variation
- Size- Available in 4 ¼ X 10
- Thickness- 5/16"
- Chemical Resistance ASTM C650- Resistant
- Product quality and testing – as recommended by ANSI standards and ASTM methods

Release Date 2014-07-08 Self-declared

Expiry Date 2017-07-08 Second Party **Certifier**

HPD URL <https://tool.hpdcollaborative.org/uploads/files/hpds/358/1321-20140708184357.pdf> Third Party **Certificate #**

SUMMARY DISCLOSURE

The content of this product was assessed for health hazard warnings as required using Pharos

Residuals Disclosure

- Measured 100 ppm (ideal)
- Measured 1000 ppm
- Predicted by process chemistry
- As per MSDS (1,000 & 10,000 ppm)
- Not disclosed
- Other

Full Disclosure of Intentional Ingredients

Yes No

Full Disclosure of Known Hazards

Yes No

Disclosure Notes

Tile contains <.1% of recordable SARA 13 elements: Antimony, Barium, Beryllium, Cadmium, Cobalt, Chromium, Nickel, and Zinc

Contents in Descending Order of Quantity

Aluminum oxide silicate (Al6O5(SiO4)2) , ALUMINUM OXIDE , NICKEL COMPOUNDS, SOLUBLE , SILVER , VANADIUM COMPOUNDS , Iron zinc oxide (Fe2ZnO4) , MERCURY COMPOUNDS, ORGANIC , THALLIUM COMPOUNDS , COBALT , ANTIMONY , BARIUM OXIDE, ANHYDROUS , BERYLLIUM , CADMIUM , CHROMIUM (VI) OXIDE

Hazards

- PBT (Persistent Bioaccumulative Toxic)
- Cancer
- Gene Mutation
- Development
- Reproductive
- Endocrine
- Respiratory

Highest concern GreenScreen score - List Translator Benchmark 1

- Neurotoxicity
- Mammal
- Skin or Eye
- Aquatic toxicity
- Land toxicity
- Physical hazard
- Global warming
- Ozone depletion
- Multiple
- Unknown

Total VOC Content

Material (g/L) N/A

Regulatory (g/L) N/A

Does the product contain exempt VOCs?

N/A Yes No

Are there VOC-free tints available?

N/A Yes No

Notes

Certifications + Compliance

VOC Emissions Not tested

VOC Content N/A

The HPD Standard is solely a declaration of product content and direct health hazards associated with exposure to its individual contents. It is not a full assessment of environmental impacts from the life cycle of this product. It is not an assessment of risks associated with actual use of the product. It does not address the potential health impacts of substances used or created during manufacture that do not appear in the final product as residuals, nor substances created during combustion or other degradation processes.

This Health Product Declaration was generated following the requirements of the noted Standard version and is valid for a total of three years after date of issue or three months after a substantive change of product contents occurs. Users should verify that this Health Product Declaration is compliant with the most current version of the HPD Standard. Accuracy of claims made in this Health Product Declaration is the sole responsibility of the listed manufacturer and certifier (if applicable). The HPD Collaborative does not warrant any claim made herein, explicit or implicit. The HPD Standard is an "open standard" developed and managed by the HPD Collaborative, a nonprofit organization. For more information, visit hpdcollaborative.org.

CONTENT IN DESCENDING ORDER OF QUANTITY

All ingredients must be assessed for health warnings against Priority Hazard Lists, regardless of disclosure level.

Priority Hazard Lists and information on the GreenScreen Benchmarks can be found at www.hpdcollaborative.org/hazardlists.

GS: GreenScreen Benchmark; **RC:** Recycled Content, **PC:** Post Consumer, **PI:** Post Industrial (Pre-consumer), **BO:** Both; **Nano:** comprised of nanoscale particles or nanotechnology

Name	CAS RN	% weight	GS	RC	Nano	Role
Hazard A	Warning A					
Hazard B	Warning B					
Hazard C	Warning C					
Hazard D	Warning D					
Hazard E	Warning E					
Notes						
Aluminum oxide silicate (Al6O5(SiO4)2)	12068-56-3	80 - 85 %	LT-U	U	U	glaze or other waterproofing membranes
None found	No warnings found on HPD Priority lists					
	refer to TCNA handbook as it pertains to cutting tiles					
ALUMINUM OXIDE	1344-28-1	20 - 25 %	LT-U	U	U	glaze or other waterproofing membranes
RESPIRATORY	AOEC: Asthmagen (ARs) - sensitizer-induced - inhalable forms only					
	Refer to TCNA Handbook as it pertains to cutting materials					
NICKEL COMPOUNDS, SOLUBLE		0 - 0.1 %	LT-1	U	Y	tile body
CANCER	IARC: Group 1: Agent is carcinogenic to humans (also in Prop 65, NIOSH-C, MAK)					
RESPIRATORY	AOEC: Asthmagen (ARs) - sensitizer-induced - inhalable forms only (also in MAK)					
	glaze and waterproofing membranes - all cutting in accordance with TCNA Handbook; tile contains overall less than .1%					
SILVER	7440-22-4	0 - 0.1 %	LT-P1	U	Y	tile body
MULTIPLE	VwWwS: Class 3 Severe Hazard to Waters					
	glaze and waterproofing membranes - all cutting in accordance with TCNA Handbook; tile contains overall less than .1%					
VANADIUM COMPOUNDS		0 - 0.1 %		U	Y	tile body
None found	No warnings found on HPD Priority lists					
	glaze and waterproofing membranes - all cutting in accordance with TCNA Handbook; tile contains overall less than .1%					
Iron zinc oxide (Fe2ZnO4)	12063-19-3	0 - 0.1 %	LT-U	U	Y	tile body
None found	No warnings found on HPD Priority lists					
	glaze and waterproofing membranes - all cutting in accordance with TCNA Handbook; tile contains overall less than .1%					
MERCURY COMPOUNDS, ORGANIC		0 - 0.1 %	LT-1	U	Y	tile body
PBT	OSPAR: PBT - Chemical for Priority Action (also in TRI PBT)					
CANCER	MAK: Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification					
MAMMALIAN	EU R-Phrases: R28: Very toxic if swallowed. (also in EU H-Statements)					
SKIN SENSITIZE	MAK: Sensitizing Substance Sh - Danger of skin sensitization					
ACUTE AQUATIC	EU H-Statements: H400 - Aquatic Acute 1 - Very toxic to aquatic life (also in EU R-Phrases)					
CHRON AQUATIC	EU H-Statements: H410 - Aquatic Chronic 1 - Very toxic to aquatic life with long lasting effects					
DEVELOPMENTAL	Prop 65: Developmental toxicity					
	glaze and waterproofing membranes - all cutting in accordance with TCNA Handbook; tile contains overall less than .1%					

THALLIUM COMPOUNDS		0 - 0.1 %	LT-P1	U	Y	tile body
MAMMALIAN	EU R-Phrases: R28: Very toxic if swallowed. (also in EU H-Statements)					
ACUTE AQUATIC	EU R-Phrases: R51: Toxic to aquatic organisms.					
CHRON AQUATIC	EU H-Statements: H411 - Aquatic Chronic 2 - Toxic to aquatic life with long lasting effects					
glaze and waterproofing membranes - all cutting in accordance with TCNA Handbook; tile contains overall less than .1%						
COBALT	7440-48-4	0 - 0.1 %	LT-1	U	Y	tile body
CANCER	Prop 65: Cancer (also in MAK, IARC)					
RESPIRATORY	AOEC: Asthagen (AG) - generally accepted (also in EU R-Phrases, EU H-Statements, MAK)					
SKIN IRRITATION	EU H-Statements: H317 May cause an allergic skin reaction					
SKIN SENSITIZE	EU R-Phrases: R43: May cause sensitization by skin contact.					
glaze and waterproofing membranes - all cutting in accordance with TCNA Handbook; tile contains overall less than .1%						
ANTIMONY	7440-36-0	0 - 0.1 %	LT-1	U	Y	tile body
CANCER	MAK: Carcinogen Group 2 - Considered to be carcinogenic for man					
MULTIPLE	EPA Action: TSCA Work Plan chemical - Action Plan in development					
MAMMALIAN	EU R-Phrases: R22: Harmful if swallowed.					
ACUTE AQUATIC	EU R-Phrases: R51: Toxic to aquatic organisms.					
CHRON AQUATIC	EU H-Statements: H411 - Aquatic Chronic 2 - Toxic to aquatic life with long lasting effects					
glaze and waterproofing membranes - all cutting in accordance with TCNA Handbook; tile contains overall less than .1%						
BIARIUM OXIDE, ANHYDROUS	1304-28-5	0 - 0.1 %	LT-U	U	Y	tile body
None found	No warnings found on HPD Priority lists					
glaze and waterproofing membranes - all cutting in accordance with TCNA Handbook; tile contains overall less than .1%						
BERYLLIUM	7440-41-7	0 - 0.1 %	LT-1	U	Y	tile body
CANCER	IARC: Group 1: Agent is carcinogenic to humans (also in NTP-RoC, EPA-C, EU CMR (1), EU R-Phrases, Prop 65, NIOSH-C, EU H-Statements, MAK, EU CMR (2))					
RESPIRATORY	MAK: Sensitizing Substance Sah - Danger of airway & skin sensitization					
MAMMALIAN	EU R-Phrases: R25: Toxic if swallowed. (also in EU H-Statements)					
EYE IRRITATION	EU R-Phrases: R36: Irritating to eyes. (also in EU H-Statements)					
SKIN IRRITATION	EU R-Phrases: R38: Irritating to skin. (also in EU H-Statements)					
SKIN SENSITIZE	EU R-Phrases: R43: May cause sensitization by skin contact.					
ORGAN TOXICANT	EU R-Phrases: R48: Danger of serious damage to health by prolonged exposure. (also in EU H-Statements)					
MULTIPLE	SIN: Classified CMR (Carcinogen, Mutagen &/or Reproductive Toxicant)					
CHRON AQUATIC	EU H-Statements: H411 - Aquatic Chronic 2 - Toxic to aquatic life with long lasting effects					
ACUTE AQUATIC	EU R-Phrases: R51: Toxic to aquatic organisms.					
glaze and waterproofing membranes - all cutting in accordance with TCNA Handbook; tile contains overall less than .1%						
CADMIUM	7440-43-9	0 - 0.1 %	LT-1	U	Y	tile body
PBT	NWMP Priority: Priority PBT (also in WA PBT, OR P3, OSPAR)					
CANCER	IARC: Group 1: Agent is carcinogenic to humans (also in NTP-RoC, EPA-C, EU CMR (1), EU R-Phrases, EU H-Statements, Prop 65, NIOSH-C, MAK, EU SVHC, EU CMR (2))					
DEVELOPMENTAL	Prop 65: Developmental toxicity (also in EU R-Phrases)					
REPRODUCTIVE	Prop 65: Male reproductive toxicity (also in EU R-Phrases, EU H-Statements)					
GENE MUTATION	EU R-Phrases: R68: Possible risk of irreversible effects (also in EU H-Statements)					
MAMMALIAN	EU R-Phrases: R25: Toxic if swallowed. (also in EU H-Statements)					
ORGAN TOXICANT	EU R-Phrases: R48: Danger of serious damage to health by prolonged exposure. (also in EU H-Statements)					
ACUTE AQUATIC	EU H-Statements: H400 - Aquatic Acute 1 - Very toxic to aquatic life (also in EU R-Phrases)					
CHRON AQUATIC	EU H-Statements: H410 - Aquatic Chronic 1 - Very toxic to aquatic life with long lasting effects					
FLAMMABLE	EU H-Statements: H250 Catches fire spontaneously if exposed to air					
MULTIPLE	SIN: Classified CMR (Carcinogen, Mutagen &/or Reproductive Toxicant) (also in VwVwS)					
glaze and waterproofing membranes - all cutting in accordance with TCNA Handbook; tile contains overall less than .1%						
CHROMIUM (VI) OXIDE	1333-82-0	0 - 0.1 %	LT-1	U	U	tile body

CANCER	EU SVHC: Carcinogenic - Banned unless authorised (also in NTP-RoC, EU CMR (1), EU R-Phrases, EU H-Statements, NIOSH-C, EU CMR (2), IARC, Prop 65, MAK)
REPRODUCTIVE	EU R-Phrases: R62: Possible risk of impaired fertility. (also in EU H-Statements, Prop 65)
GENE MUTATION	EU SVHC: Mutagenic - Banned unless authorised (also in EU R-Phrases, EU H-Statements, EU CMR (1), EU CMR (2))
RESPIRATORY	EU R-Phrases: R42: May cause sensitization by inhalation. (also in EU H-Statements)
MAMMALIAN	EU R-Phrases: R25: Toxic if swallowed. (also in EU H-Statements)
SKIN IRRITATION	EU H-Statements: H317 May cause an allergic skin reaction (also in EU R-Phrases)
SKIN SENSITIZE	EU R-Phrases: R43: May cause sensitization by skin contact. (also in MAK)
ORGAN TOXICANT	EU R-Phrases: R48: Danger of serious damage to health by prolonged exposure. (also in EU H-Statements)
ACUTE AQUATIC	EU H-Statements: H400 - Aquatic Acute 1 - Very toxic to aquatic life (also in EU R-Phrases)
CHRON AQUATIC	EU H-Statements: H410 - Aquatic Chronic 1 - Very toxic to aquatic life with long lasting effects
REACTIVE	EU H-Statements: H271 May cause fire or explosion; strong oxidiser
MULTIPLE	SIN: Classified CMR (Carcinogen, Mutagen &/or Reproductive Toxicant) (also in VwVwS)
DEVELOPMENTAL	Prop 65: Developmental toxicity
glaze and waterproofing membranes - all cutting in accordance with TCNA Handbook; tile contains overall less than .1%	

CERTIFICATIONS AND COMPLIANCE

Certifying Party = First: Manufacturer's self-declaration; Second: Verification by trade association or other interested party; Third: Verification by independent certifier (ideal).

Applicable facilities = Manufacturing sites to which testing applies.

Type	Standard or Certification			Certifier or Laboratory
	Certifying Party	Issue Date	Expiry Date	Certificate URL
	Applicable Facilities			
	Notes			
VOC Emissions	Not tested			
VOC Content	N/A			
Recycled Content	Not tested			
	2011-06-21	2021-06-21	www.emser.com/index.php?tabs=installationAndPetterns&id1=collectionDetails&name=PIETRE_DEL_NORD(TM)&id0=ceramic_porcelain&index=56&scrollMenuporcelain=422	
	8431 Santa Monica Blvd Los Angeles CA 90069			

ACCESSORY MATERIALS

This section is for additional products required by warranty or recommended by the manufacturer for installation (such as adhesives, fasteners, or factory coatings) or for maintenance, cleaning, or operations. Refer to Health Product Declarations, published separately, for a complete view of these products. Note: This declaration is not intended to address hazards of the installation process.

Required or Recommended Product	URL for Companion Health Product Declaration
Condition when required or recommended and/or other notes	
Mortar Grout or other waterproofing materials	
All installations in accordance with the TCNA handbook	

NOTES

Tiles do not get tested for VOC's as a result of their production process. Any and all carcinogens reported in the finished product are non-hazardous in their stable form. An MSDS will explain hazards as they pertain to cutting the material and will address respiratory, skin and eye protection cautions. The origin

for the clay, quartz and feldspar and other raw components are from Brazil. The finished product is manufactured in Brazil. There is no recycled content in this product. All statements and references contained herein are intended to be correct, complete and current. Information is subject to change depending on revisions to standards or changes in production.